

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name	<u>Nitric acid, 67-70%</u>
CAS No	7697-37-2
Synonyms	Azotic acid; Engraver's acid; Aqua fortis
Product Code	38747
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### **Classification under Safe Work Australia**

Classified as hazardous according to criteria of Safe Work Australia

### Physical hazards

Oxidizing liquids Substances/mixtures corrosive to metal

#### Health hazards

Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Environmental hazards No hazards identified

Label Elements

Category 3 Category 1

Category 3 Category 1 A Category 1



Signal Word

Danger

#### **Hazard Statements**

- H272 May intensify fire; oxidizer
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H331 Toxic if inhaled

AUH071 - Corrosive to the respiratory tract

### Precautionary Statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P220 Keep away from clothing and other combustible materials
- P221 Take any precaution to avoid mixing with combustibles
- P234 Keep only in original packaging
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P284 Wear respiratory protection
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P390 Absorb spillage to prevent material damage
- P402 Store in a dry place
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P406 Store in corrosion resistant polypropylene container with a resistant inliner
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

### Other information

### Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Nitric acid …% [C ≤ 70 %]	7697-37-2	65 - 70
Water	7732-18-5	30 - 35

### Section 4 - First Aid Measures

Inhalation

If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie

	down. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

### Section 5 - Fire Fighting Measures

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

#### **Hazardous Decomposition Products**

Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### Section 6 - Accidental Release Measures

### **Emergency procedures**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.

#### **Environmental Precautions**

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal. Wear self-contained breathing apparatus and protective suit.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from clothing and other combustible materials.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Do not store in metal containers. Keep in properly labeled containers. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

### Section 8 - Exposure Controls and Personal Protection

### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Nitric acid …% [C ≤	STEL: 4 ppm	TWA: 2 ppm	TWA: 2 ppm	STEL: 1 ppm 15 min	TWA: 1 ppm (8
70 %]	STEL: 10 mg/m <sup>3</sup>	TWA: 5.2 mg/m <sup>3</sup>	STEL: 4 ppm	STEL: 2.6 mg/m <sup>3</sup> 15 min	Stunden). AGW -
_	TWA: 2 ppm	STEL: 4 ppm		_	TWA: 2.6 mg/m <sup>3</sup> (8
	TWA: 5.2 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>			Stunden). AGW -

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Resistance to Permeation by Chemicals

AS/NZS 2161 As tested under EN374-3 Determination of

Hand Protection	Protective gloves Breakthrough time Glove thickness AUS/NZ Standard Glove comm	
Personal protective equip Eye Protection	oment Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protector applications)	s for Industrial

Butyl rubber	> 480 minutes	0.35 mm
Nitrile rubber	< 10 minutes	0.38 mm

> 480 minutes

Inspect gloves before use.

Neoprene gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

0.45 mm

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Particulates filter conforming to EN 143 or Acid gases filter Type E Yellow conforming to EN14387 (or AUS/NZ equivalent)
Recommended half mask:-	Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** Prevent product from entering drains.

### Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance Physical State	Clear Colorless, Light yellow Liquid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	Strong Acrid No data available < 1.0 -41 °C / -41.8 °F No data available Not applicable	(0.1M)
Flash Point Evaporation Rate Flammability (solid,gas)	Not applicable No data available Not applicable	<b>Method -</b> No information available Liquid
Explosion Limits Vapor Pressure Vapor Density	No data available 0.94 kPa (20°C) No data available	(Air = 1.0)
Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat	1.40 Not applicable Miscible No information available er)	Liquid

Component	log Pow
Nitric acid …% [C ≤ 70 %]	-2.3
Autoignition Temperature	No data ava
Decomposition Temperature	No data ava
Viscosity	No data ava
Explosive Properties	No informat
Oxidizing Properties	Oxidizer
Other information	
Molecular Formula	HNO3
Molecular Weight	63.01

## ailable ailable ailable ation available

## Section 10 - Stability and Reactivity

Reactivity	Yes	
Stability	Oxidizer: Contact with combustible/organic material may cause fire.	
Conditions to Avoid	Incompatible products, Combustible material, Excess heat, Exposure to air or moisture over prolonged periods.	
Incompatible Materials	Combustible material, Strong bases, Reducing Agent, Metals, Finely powdered metals, Organic materials, Aldehydes, Alcohols, Cyanides, Ammonia, Strong reducing agents.	
Hazardous Decomposition Products Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.		
Hazardous Polymerization	Hazardous polymerization does not occur.	

## Section 11 - Toxicological Information

### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity; Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met Inhalation Category 3

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitric acid …% [C ≤ 70 %]			LC50 = 2500 ppm. (Rat) 1h
Water	-	-	-
(b) skin corrosion/irritation;	Category 1 A		
(c) serious eye damage/irritation;	Category 1		
(d) respiratory or skin sensitization Respiratory Skin	Based on available data, the	classification criteria are not me classification criteria are not me	
(e) germ cell mutagenicity;	Based on available data, the	classification criteria are not me	et

(f) carcinogenicity;	Based on available data, the classification criteria are not met
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met
Target Organs	None known.
(j) aspiration hazard;	Based on available data, the classification criteria are not met
Symptoms / effects,both acute and delayed	Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

## Section 12 - Ecological Information

Ecotoxicity effects Persistence and Degradability Persistence Bioaccumulative Potential		Do not empty into drains. Large amounts will Readily biodegradable Miscible with water, Persistence is unlikely, b Bioaccumulation is unlikely		
		log Pow	Bioconcentration factor (BCF)	
Nitric acid % [C $\leq$ 70 %]		-2.3 No data available		

Component	IOG FOW	Bioconcentration factor (BCF)				
Nitric acid …% [C ≤ 70 %]	-2.3	No data available				
Mobility	The product is water soluble, and may spread in water systems. Will likely be mobile in the					
	environment due to its water solubility Highly mobile in soils					
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors					
Persistent Organic Pollutant	This product does not contain any known or suspected substance					
Ozone Depletion Potential	This product does not contain any known or suspected substance					

## Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.					
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.					
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.					

## Section 14 - Transport Information

### IMDG/IMO

UN-No	UN2031
Proper Shipping Name	NITRIC ACID
Hazard Class	8
Subsidiary Hazard Class	5.1
Packing Group	II

### ADG

UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2031 NITRIC ACID 8 5.1 II	
Compo	onent	Hazchem Code
Nitric acid …% [C ≤ 70 %] 7697-37-2(65 - 70)		2R 2P 2PE

### IATA

UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN2031 NITRIC ACID 8 5.1 II
Environmental hazards	No hazards identified
Special Precautions	No special precautions required
Additional information	None known

## **Section 15 - Regulatory Information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Schedule 5 listed - except its salts and derivatives; in preparations except in preparations containing
	<=0.5% of Nitric acid
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, or in
	preparations containing <=0.5% of Nitric acid

### Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Present	-
Water - 7732-18-5	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Nitric acid …% [C ≤ 70 %] - 7697-37-2		Listed in Appendix A
		Precursors to homemade explosives -
		concentration >=30%

Legend

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Subject to reporting requirements

Component		
Nitric acid …% [C ≤ 70 %] - 7697-37-2	10 tonne/yr. Threshold category 1	

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Nitric acid …% [C ≤ 70	Х	Х	231-714-2	-	Х	Х	-	Х	Х	Х	Х	KE-25911
%]												
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations	
Ozone Depletion Potential	This product does not contain any known or suspected substance
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Rotterdam Convention (PIC)	Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Nitric acid …% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitric acid …% [C ≤ 70 %]	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## Section 16 - Other Information

### Legend

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Revision Date	18-Nov-2022
Revision Summary	Not applicable.

## This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**